


# ACOUSTIC GEOMETRY™

## DIFFUSER HORIZONTAL INSTALLATION INSTRUCTIONS

### HARDWARE INCLUDED:

- (2) Black wall brackets
- (4) Hollow wall anchors
- (4) Phillips head screws



### TOOLS NEEDED:


- Pencil
- Tape measure
- Level (2')
- Cordless drill
- Phillips driver




Continued on next page...

## DIFFUSER HORIZONTAL INSTALLATION INSTRUCTIONS Cont.

1. Determine top and center of diffuser.




2. Measure down  $3\frac{7}{8}$ " from the top of the diffuser mark. From the center line, draw a 13" level line to the left of the center line. Draw a 15" level line to the right of the center line. The total length of the level line should be 28". Place a mark at each end and 3" in from the end of the 28" level line.




# ACOUSTIC GEOMETRY™

## DIFFUSER HORIZONTAL INSTALLATION INSTRUCTIONS Cont.

- 3.** Install (4) hollow wall anchors at each mark.



- 4.** Install the black wall brackets with phillips head screws. Bracket should have the long point facing up and out.



# ACOUSTIC GEOMETRY™

## DIFFUSER HORIZONTAL INSTALLATION INSTRUCTIONS Cont.

---

5. Hang the diffuser.



**NOTE:** Horizontal applications only require (2) black wall brackets.